



ONYX

Powered By
HENGFENG TIRES



TROJAN LTD.

The Global Tyre Company

CATALOGUE | TBR



HO101

SIZE

11R22.5 12R22.5



HO106

SIZE

295/80R22.5



HO102

SIZE

11R22.5 12R22.5 13R22.5
215/75R17.5 255/70R22.5
295/80R22.5 315/70R22.5
315/80R22.5



HO107

SIZE

235/75R17.5 385/65R22.5



HO104

SIZE

9.00R20 10.00R20
11.00R20 12.00R20
11R22.5 315/80R22.5



HO111

SIZE

11R22.5 11R24.5 215/75R17.5
225/70R19.5 235/75R17.5 245/70R19.5
255/70R22.5 285/70R24.5 295/75R22.5



HO105

SIZE

9.00R20 10.00R20
11.00R20 12.00R20



HO117

SIZE

12R22.5



HO118

SIZE

11R22.5 12R22.5
295/75R22.5



HO124

SIZE

315/80R22.5



HO121

SIZE

8.25R16 9.5R17.5 11.00R20
295/80R22.5 315/70R22.5
315/80R22.5



HO168

SIZE

7.00R16 7.50R16 8.25R16
8.25R20 9.00R20 10.00R20
12.00R20



HO122

SIZE


12.00R24 315/80R22.5



HO301

SIZE

6.50R16 7.00R16 7.50R16 8.25R16
8.25R20 9.00R20 10.00R20
11.00R20 11R22.5 11R24.5
12.00R20 12R22.5 12.00R24 13R22.5



HO123

SIZE

11.00R20



HO301+

SIZE

315/80R22.5



HO302

SIZE

10.00R20 11.00R20 12.00R20
12R22.5 13R22.5 315/80R22.5



HO308^(A)

SIZE

10.00R20 11R22.5 12R22.5
315/70R22.5 315/80R22.5



HO303

SIZE

7.00R16 7.50R16 8.25R16
8.25R20 9.00R20 10.00R20
11.00R20 12.00R20



HO308^(A)+

SIZE

12R22.5



HO306

SIZE

7.00R16 7.50R16 8.25R16
8.25R20 9.00R20 10.00R20
11.00R20 12.00R20



HO309

SIZE

11R22.5 12R22.5 13R22.5
215/75R17.5 235/75R17.5 295/80R22.5
315/70R22.5 315/80R22.5



HO307

SIZE

10.00R20 11.00R20
12.00R20 12R22.5



HO310

SIZE

12.00R24



HO311

SIZE

9.00R20 10.00R20
11.00R20 12.00R20
12R22.5



HO318

SIZE

8.25R20 9.00R20 10.00R20
11.00R20 12.00R20
295/80R22.5



HO312

SIZE

11R22.5 11R24.5 285/75R24.5
295/75R22.5



HO320

SIZE

295/80R22.5



HO313

SIZE

7.50R16 8.25R16 8.25R20
9.00R20 10.00R20
11.00R20 12.00R20



HO321

SIZE

11.00R20 12.00R20



HO317

SIZE

10.00R20 11.00R20
12.00R20



HO322

SIZE

12.00R24 315/80R22.5



HO323

SIZE

11R22.5 11R24.5
285/75R24.5 295/75R22.5



HO599

SIZE

11.00R20



HO329

SIZE

10.00R20 11.00R20
12.00R20 12.00R24



HO599+

SIZE

11.00R20



HO368

SIZE

10.00R20 295/80R22.5



HO929

SIZE

11.00R20



HO399

SIZE

9.00R20 10.00R20
11.00R20 12.00R20



NAL535

SIZE

8.25R15 10.00R15 215/75R17.5
225/70R19.5 235/75R17.5
245/70R19.5 255/70R22.5
275/70R22.5



NAL536

SIZE

8R19.5 9R22.5
10R22.5 315/80R22.5



NAR518

SIZE

225/75R17.5 245/70R17.5
245/70R19.5 265/70R19.5
285/70R19.5



NAM517

SIZE

12.00R24 11R22.5 12R22.5
295/80R22.5 315/80R22.5



NAR532

SIZE

11R22.5 11R24.5
285/75R24.5 295/75R22.5



NAM537

SIZE

11R22.5 11R24.5



NDL230

SIZE

11R22.5 11R24.5
285/75R24.5 295/75R22.5



NAR515

SIZE

11R22.5 12R22.5 275/70R22.5
295/80R22.5 315/80R22.5



NDM216

SIZE

11R22.5



NDR233

SIZE

10R22.5 11R22.5 11R24.5



NTL331

SIZE

11R22.5 11R24.5
285/75R24.5 295/75R22.5



NDR255

SIZE

265/70R19.5



NTM313

SIZE

385/65R22.5



NSL129

SIZE

11R22.5 11R24.5
285/75R24.5 295/75R22.5



NTL311

SIZE

385/55R22.5 385/65R22.5
425/65R22.5 445/65R22.5



	SIZE	PR	LOAD INDEX	SPEED SYMBOL	TREAD DEPTH
HO101	11R22.5	16	146/143	M	15
	12R22.5	18	152/149	M	16.5
HO102	11R22.5	16	146/143	M	15
	12R22.5	18	152/149	M	16.5
	13R22.5	20	156/152	L	17
	215/75R17.5	16	135/133	J	12
	255/70R22.5	16	140/137	L	14
	295/80R22.5	18	152/148	M	15
	315/70R22.5	20	154/150	L	15
	315/80R22.5	20	156/152	L	14.5
HO104	9.00R20	16	144/142	K	15
	10.00R20	18	149/146	K	15
	11.00R20	18	152/149	K	17
	12.00R20	18	154/149	K	17.5
	11R22.5	16	148/145	M	15
HO105	315/80R22.5	20	156/152	L	14.5
	9.00R20	16	144/142	K	15
	10.00R20	18	149/146	K	16.5
	11.00R20	18	152/149	J	17
HO106	12.00R20	18	154/149	K	17.5
	295/80R22.5	18	152/149	M	15
HO107	235/75R17.5	16	143/141	J	13
	385/65R22.5	20	160	K	17
HO111	11R22.5	16	146/143	L	15
	11R24.5	14	146/143	M	15
	11R24.5	16	149/146	M	15
	215/75R17.5	16	135/133	M	12
	225/70R19.5	14	128/126	L	13
	235/75R17.5	16	143/141	J	15
	245/70R19.5	16	135/133	L	13
	255/70R22.5	16	140/137	L	13
	285/75R24.5	14	144/141	M	15.5
	285/75R24.5	16	147/144	L	15.5
	295/75R22.5	14	144/141	M	15.5
	295/75R22.5	16	146/143	L	15.1
HO117	12R22.5	18	152/149	L	16
HO118	11R22.5	16	148/145	M	11.5
	12R22.5	18	152/149	M	12.5
	295/75R22.5	14	144/141	M	11
HO121	295/75R22.5	16	146/143	L	11
	8.25R16	16	128/124	M	13.5
	11.00R20	18	152/149	K	15
	9.5R17.5	16	143/141	J	13
	295/80R22.5	18	152/148	M	16.5
HO122	315/70R22.5	20	154/150	L	15.5
	315/80R22.5	20	156/152	L	16.5
	12.00R24	20	160/157	K	15.5
HO123	315/80R22.5	20	156/152	L	16.5
HO124	11.00R20	18	152/149	J	16.5
	315/80R22.5	20	156/152	L	15.5

	SIZE	PR	LOAD INDEX	SPEED SYMBOL	TREAD DEPTH
HO168	7.00R16	14	118/114	K	15.5
	7.50R16	14	122/118	K	18
	8.25R16	16	128/124	K	18
	8.25R20	16	139/137	C	21
	9.00R20	16	144/142	C	21.5
	10.00R20	18	149/146	C	22
	12.00R20	18	154/151	C	24
	HO301	6.50R16	12	113/110	K
7.00R16		14	118/114	M	14
7.50R16		14	122/118	M	13
8.25R16		16	128/124	M	15
8.25R20		16	139/137	L	13.5
9.00R20		16	144/142	K	15.5
10.00R20		18	149/146	K	16.5
11.00R20		18	152/149	K	17
11R22.5		16	148/145	M	15
11R24.5		16	149/146	L	15.5
12.00R20		18	154/149	K	17.5
12R22.5		18	152/149	M	16
12.00R24		20	160/157	K	16
13R22.5		20	156/152	L	16.5
HO301+		315/80R22.5	20	156/152	L
HO302	10.00R20	18	149/146	K	18
	11.00R20	18	152/149	J	18
	12.00R20	18	154/149	J	20
	12R22.5	18	152/149	M	20
	13R22.5	20	156/152	G	20
	315/80R22.5	20	156/152	L	20
HO303	7.00R16	14	118/114	K	14
	7.50R16	14	122/118	J	15
	8.25R16	16	128/124	J	16
	8.25R20	16	139/137	K	16
	9.00R20	16	144/142	J	17
	10.00R20	18	149/146	J	18
	11.00R20	18	152/149	J	19
	12.00R20	18	154/149	J	20
	7.00R16	14	118/114	M	12
	7.50R16	14	122/118	M	14
HO306	8.25R16	16	128/124	M	15
	8.25R20	16	139/137	L	14.5
	9.00R20	16	144/142	K	16
	10.00R20	18	149/146	K	16.5
	11.00R20	18	152/149	K	17.5
	12.00R20	18	154/149	K	18.5
HO307	10.00R20	18	149/146	K	17
	11.00R20	18	152/149	K	17.5
	12.00R20	18	154/149	J	18
	12R22.5	18	152/149	M	16

	SIZE	PR	LOAD INDEX	SPEED SYMBOL	TREAD DEPTH
HO308[Ⓐ]	10.00R20	18	149/146	K	23
	11R22.5	16	148/145	M	20
	12R22.5	18	152/149	M	20
	315/70R22.5	20	154/150	L	20
	315/80R22.5	20	156/152	L	23
HO308[Ⓐ]+	12R22.5	18	152/149	M	20
	11R22.5	16	148/145	M	16.5
HO309	12R22.5	18	152/149	M	17.5
	13R22.5	20	156/152	L	18
	215/75R17.5	16	135/133	J	14
	235/75R17.5	16	143/141	J	15
	295/80R22.5	18	152/149	M	20.5
	315/70R22.5	20	154/150	L	21
	315/80R22.5	20	156/152	L	20
HO310	12.00R24	20	160/157	K	20
HO311	9.00R20	16	144/142	J	16.5
	10.00R20	18	149/146	K	17
	11.00R20	18	152/149	J	18
	12.00R20	18	154/149	K	19
HO312	12R22.5	18	152/149	L	18.5
	11R22.5	16	146/143	L	21.5
	11R24.5	14	146/143	M	21.5
	11R24.5	16	149/146	L	21.5
	285/75R24.5	14	144/141	M	22
	285/75R24.5	16	147/144	L	22
	295/75R22.5	14	144/141	M	22
295/75R22.5	16	146/143	L	22	
HO313	7.50R16	14	122/118	M	15
	8.25R16	16	128/124	L	16
	8.25R20	16	139/137	K	15
	9.00R20	16	144/142	K	17
	10.00R20	18	149/146	K	18
	11.00R20	18	152/149	K	19
	12.00R20	18	154/149	K	20
	10.00R20	18	149/146	K	20.5
HO317	11.00R20	18	152/149	K	21
	12.00R20	18	154/149	K	21.5
	10.00R20	18	149/146	K	20.5
HO318	8.25R20	16	139/137	C	16
	9.00R20	16	144/142	C	17
	10.00R20	18	149/146	K	18
	11.00R20	18	152/149	C	24
	12.00R20	18	154/149	C	25
	295/80R22.5	18	152/149	C	21.5
	295/80R22.5	18	152/148	C	21.5
HO320	11.00R20	18	152/149	C	24
HO321	12.00R20	18	154/149	C	25
	12.00R24	20	160/157	K	16
HO322	315/80R22.5	20	156/152	L	20.5

	SIZE	PR	LOAD INDEX	SPEED SYMBOL	TREAD DEPTH
HO323	11R22.5	16	146/143	L	21.5
	11R24.5	14	146/143	M	21.5
	11R24.5	16	149/146	L	21.5
	285/75R24.5	14	144/141	M	22
	285/75R24.5	16	147/144	L	22
	295/75R22.5	14	144/141	M	22
	295/75R22.5	16	146/143	L	22
HO329	10.00R20	18	149/146	K	21
	11.00R20	18	152/149	K	18
	12.00R20	18	154/149	K	18.5
	12.00R24	20	160/157	K	19
HO368	10.00R20	18	149/146	K	21
	295/80R22.5	18	152/149	M	18
HO399	9.00R20	16	144/142	K	18
	10.00R20	18	149/146	K	19
	11.00R20	18	152/149	K	20
	12.00R20	18	154/151	K	21
	12.00R20	20	156/153	K	21
HO599	11.00R20	18	152/149	J	16
HO599+	11.00R20	18	152/149	J	17.5
HO929	11.00R20	18	152/149	J	27.5
NAL535	8.25R15	14	129/127	L	11.5
	10.00R15	14	137/135	L	11.5
	215/75R17.5	16	135/133	J	11.5
	225/70R19.5	14	128/126	M	11.5
	235/75R17.5	16	143/141	J	11.5
	245/70R19.5	14	133/131	M	11.5
	255/70R22.5	16	140/137	L	13.5
	275/70R22.5	18	152/148	J	13.5
NAL536	8R19.5	12	124/122	M	11.5
	9R22.5	14	136/134	M	11.5
	10R22.5	14	141/139	M	13.5
	315/80R22.5	20	157/154	K	16.5
NAM517	12.00R24	20	160/157	K	17
	11R22.5	16	146/143	K	15.5
	12R22.5	18	152/149	K	16
	295/80R22.5	18	152/149	K	16
	315/80R22.5	20	156/152	K	17
NAM537	11R22.5	16	146/143	K	17.5
	11R24.5	16	149/146	K	17.5
NAR515	11R22.5	16	148/145	L	15.5
	12R22.5	18	152/149	L	16.5
	275/70R22.5	16	148/145	M	15.5
	295/80R22.5	18	152/149	M	16
	315/80R22.5	20	156/152	K	16.5

	SIZE	PR	LOAD INDEX	SPEED SYMBOL	TREAD DEPTH
NAR518	225/75R17.5	14	129/127	M	13
	245/70R17.5	16	136/134	M	13
	245/70R17.5	18	143/141 (146/146)	J(F)	14
	245/70R19.5	16	136/134	M	14
	245/70R19.5	18	141/140	J	14
	265/70R19.5	16	140/138	M	14
	265/70R19.5	18	143/141	J	14
	285/70R19.5	16	146/144 (144/142)	L(M)	14
	285/70R19.5	18	150/148	J	14
NAR532	11R22.5	14	144/142	M	15
	11R22.5	16	146/143	M	15
	11R24.5	14	146/143	M	15
	11R24.5	16	149/146	L	15
	285/75R24.5	14	144/142	M	15
	285/75R24.5	16	147/144	L	15
	295/75R22.5	14	144/141	M	15
	295/75R22.5	16	146/143	L	15
NDL230	11R22.5	14	144/142	M	21.5
	11R22.5	16	146/143	L	21.5
	11R24.5	14	146/143	L	21.5
	11R24.5	16	149/146	L	21.5
	285/75R24.5	14	144/142	L	21.5
	285/75R24.5	16	147/144	L	21.5
	295/75R22.5	14	144/141	M	21.5
	295/75R22.5	16	146/143	L	21.5
NDM216	11R22.5	16	146/143 (148/145)	J(G)	24.5
NDR233	10R22.5	14	141/139	L	20
	11R22.5	16	146/143	L	21.5
NDR255	11R24.5	16	149/146	L	21.5
	265/70R19.5	18	143/141	J	16
NSL129	11R22.5	14	144/142	M	15
	11R24.5	14	146/143	M	15
	285/75R24.5	14	144/141	M	15
	295/75R22.5	14	144/141	M	15
NTL311	385/55R22.5	20	160(158)	K(L)	15.5
	385/65R22.5	20	160(158)	K(L)	16
	425/65R22.5	20	165	K	16
	445/65R22.5	20	169	K	16
NTL331	11R22.5	14	144/142	M	11
	11R24.5	14	144/142	M	11
	285/75R24.5	14	144/142	M	11
	295/75R22.5	14	144/141	M	11
NTM313	385/65R22.5	20	160(158)	K(L)	18.5

